CARBINE

THE NEXT GENERATION IN LOCKING

KEYSAFES

Instructions. Model: **CKS-SH-BUT-L**

Keysafe Shackle Large Button Combination



Opening your lock

1. Open the Opening Lever.
2. When purchased, no combination is set, push down the Opening Lever to open.



Setting your personal combination

1. Open the Front Door to reveal the setting mechanism.
2. Remove the Setting Key.
3. Choose a combination and write it down prior to setting the lock.
4. Using the Setting Key, turn the yellow dial of the chosen digit, e.g. 3, 180 degrees, so that the arrow is pointing away from you.
5. Back to the Front Door, repeat Push Buttons for each chosen number/letter.
6. Test combination prior to closing the lid (see note 1)
   - 6.1 After setting, if you push the opening lever, it will appear to be locked.
   - 6.2 Enter your combination to test the function.
   - 6.3 Before re-enter combination, please pull the Clear Button to clear number.
   - 6.4 Re-enter combination and push Lever to close.
7. Return Setting Key to original position for future use.

More next page

Opening your Shackle

1. Open your lock (refer to above).
2. Pull the Release Lever towards you.
3. Pull out the Shackle.
4. Then remove the Shackle.
5. Affix to suitable anchor.

Closing your Shackle

1. Holding the Release Lever towards you.
2. Relocate Shackle into lock.
3. Then release the Release Lever.

NOTES:

1. You can change the combination at any time.
2. We suggest that you mount the lock in a discrete location away from direct view, such as porches, garage, out of direct eye line.

KEYSAFES RANGE

THE NEXT GENERATION IN LOCKING

AUSTRALIA
HEAD OFFICE
14 John Hines Avenue
Minchinbury NSW 2770
1300 722 311
sales@carbine.com.au

WWW.CARBINE.COM.AU

V1.0-2402